

PRODUCT-DETAILS

L-5-50PM-0-C

CABLE TIE 50LB 5IN BLK NYL PUSH MNT



General Information

Extended Product Type	L-5-50PM-0-C
Product ID	7TAG054980R0640
EAN	5414363028192
Catalog Description	CABLE TIE 50LB 5IN BLK NYL PUSH MNT
Long Description	Push Mount Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 122.52mm (4.824 Inches), Width of 4.8mm (0.189 Inches), Thickness of 1.19mm (0.047 Inches), Tensile Strength Rating of 220 Newtons (50 Pounds), Mounting Hole Size of 6.35mm (0.25 Inches)

Ordering

EAN	5414363028192
-----	---------------

Dimensions

Product Net Width	0.187 in 4.74 mm
Product Net Depth / Length	5.8 in 147.32 mm
Product Net Weight	.003 lb 1.361 g

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	1.5 in 38 mm
Package Level 1 Depth / Length	9 in 229 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	12.5 in 318 mm
Package Level 2 Height	12 in 305 mm
Package Level 2 Depth / Length	18 in 457 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	Max 1 in Max 25.4 mm
Color	Black
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	CATAMOUNT FASTENING PRODUCTS
Product Type	Push Mount
Tensile Strength	50 lb 220 N
UPC	728494124469

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	L-5-50PM-0-C
Instructions and Manuals	L-5-50PM-0-C

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5035 >> Push Mount Cable Ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

