

PRODUCT-DETAILS

L-7-50MH-0-C

CBL TIE 50LB 8IN BLACK NYL MTG HOLE



General Information

Extended Product Type	L-7-50MH-0-C
Product ID	7TAG054670R0009
EAN	5414363028857
Catalog Description	CBL TIE 50LB 8IN BLACK NYL MTG HOLE
Long Description	Integrated Mounting Hole Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 205.70mm (8.1 Inches), Width of 4.6mm (0.18 Inches), Thickness of 1.35mm (0.053 Inches), Tensile Strength Rating of 222 Newtons (50 Pounds), #10 Screw for Mounting, 100 Pack

Ordering

EAN	5414363028857
-----	---------------

Dimensions

Product Net Width	0.18 in 4.6 mm
Product Net Length	0, mm
Product Net Depth / Length	8.1 in 205.70 mm

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	1.5 in 38 mm
Package Level 1 Depth / Length	12 in 305 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	13.5 in 343 mm
Package Level 2 Height	10.5 in 267 mm
Package Level 2 Depth / Length	17 in 432 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	0.0625 to 1.75 in 1.59 to 44.45 mm
Color	Black
Effective Date	19960215
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6 Weather Resistant
Number of Batteries	0
Product Name	NYLON CABLE TIE
Product Type	Intergrated Mounting Hole
Standards	UL E49405
Tensile Strength	50 lb 220 N
Thickness	0.053 in 1.35 mm
UPC	728494916606

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	L-7-50MH-0-C
Instructions and Manuals	L-7-50MH-0-C

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

