Product datasheet Characteristics

LA1LC020

TeSys integral - auxiliary contact - 2 NO + 1 NC



lai

		.≚
Range	TeSys	
Device short name	LA1LC	
Product or component type	Auxiliary contact	0 S

Complementary

Range compatibility	TeSys Integral contactor breaker	
Mounting location	Right side	
Auxiliary contacts operation	Instantaneous	
Pole contact composition	2 NO + 1 NC for contactor state	
[Ui] rated insulation voltage	690 V	-
[lth] conventional free air thermal current	6 A	
Connections - terminals	Screw clamp terminals 2 cable(s) 1.5 mm ² Screw clamp terminals 1 cable(s) 2.5 mm ²	
Product weight	0.1 kg	

Environment

Environmental characteristic	Standard environment	

Offer Sustainability

Range	TeSys
Device short name	LA1LC
Product or component type	Auxiliary contact
Complementary	
Range compatibility	TeSys Integral contactor breaker
Mounting location	Right side
Auxiliary contacts operation	Instantaneous
Pole contact composition	2 NO + 1 NC for contactor state
[Ui] rated insulation voltage	690 V
[Ith] conventional free air thermal current	6 A
Connections - terminals	Screw clamp terminals 2 cable(s) 1.5 mm ² Screw clamp terminals 1 cable(s) 2.5 mm ²
Product weight	0.1 kg
Environment Environmental characteristic	Standard environment
Offer Sustainability	
REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
	Compliant EU RoHS Declaration
EU RoHS Directive	
EU RoHS Directive Toxic heavy metal free	Yes
Toxic heavy metal free	Yes
Toxic heavy metal free Mercury free	Yes Yes

Warranty 18 months