



### Main

|                           |                              |
|---------------------------|------------------------------|
| Range of product          | NSX400...630                 |
| Range                     | Compact                      |
| Device short name         | CT module and voltage output |
| Product or component type | Current transformer          |
| Device application        | Control                      |
| Range compatibility       | Compact NSX circuit breaker  |
| Poles description         | 4P                           |
| Network type              | AC                           |
| [In] rated current        | 400 A 2 VA                   |

### Complementary

|                                |                                     |
|--------------------------------|-------------------------------------|
| [Ue] rated operational voltage | 530 V                               |
| Network frequency              | 50/60 Hz                            |
| Current transformer ratio      | 400/5 A                             |
| Auxiliary connection terminal  | Cable connector 2.5 mm <sup>2</sup> |

### Environment

|                                   |                              |
|-----------------------------------|------------------------------|
| Electrical shock protection class | Class II                     |
| IP degree of protection           | IP40 conforming to IEC 60529 |
| IK degree of protection           | IK04 conforming to IEC 62262 |

### Offer Sustainability

|                            |   |
|----------------------------|---|
| EU RoHS Directive          | Compliant<br><a href="#">EU RoHS Declaration</a>  |
| Mercury free               | Yes   |
| RoHS exemption information | <a href="#">Yes</a>   |
| China RoHS Regulation      | <a href="#">China RoHS declaration</a><br>Product out of China RoHS scope. Substance declaration for your information |

Contractual warranty

---

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

---