## **Product datasheet** Characteristics

# LV432656

ammeter module for Compact NSX 400, 400 A rating, 4 poles



-1	١,	п	9		r
-1	v	ı	а	н	ш

Main		
Range of product	INV320630 NSX400630 INS320630	
Range	Compact	
Device short name	Ammeter module	
Product or component type	Ammeter	
Device application	Metering	
Range compatibility	Compact INS circuit breaker Compact INV circuit breaker Compact NSX circuit breaker	
Poles description	4P	
[In] rated current	400 A	
Complementary	0145	
Accuracy class	Class 4.5	
Measurement accuracy	Ammeter: +/- 6 %	
Environment		
Electrical shock protection class	Class II	
IP degree of protection	IP40 conforming to IEC 60529	
IK degree of protection	IK04 conforming to IEC 62262	
Offer Sustainability		
DEACh from of SVIJC	Voc	

### Complementary

Accuracy class	Class 4.5
Measurement accuracy	Ammeter: +/- 6 %

#### Environment

Electrical shock protection class	Class II
IP degree of protection	IP40 conforming to IEC 60529
IK degree of protection	IK04 conforming to IEC 62262

#### Offer Sustainability

REACh free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Warranty 18 months