

PRODUCT-DETAILS

PIG4013-0-E

SHRINK-KON 30M BLACK



General Information

Extended Product Type	PIG4013-0-E
Product ID	7TCA017300R0497
EAN	5414363131274
Catalog Description	SHRINK-KON 30M BLACK
Long Description	Heat Shrink Tubing, Black, 30.0M Mini Reel, Shrink Ratio 3:1, Expanded Diameter 39.0mm, Thin Walled, CrossLinked Polyolefin, Item is Silicone, Cadmium and Lead Free

Ordering

EAN	5414363131274
-----	---------------

Dimensions

Product Net Weight	1.3 lb 589.569 g
--------------------	---------------------

Container Information

Package Level 1 Units	1 reel
Package Level 1 Width	1 in 25 mm
Package Level 1 Height	1 in 25 mm

Package Level 1 Depth / Length	1 in 25 mm
Package Level 2 Units	2 reel
Package Level 2 Width	15.35 in 390 mm
Package Level 2 Height	3.74 in 95 mm
Package Level 2 Depth / Length	15.35 in 390 mm

Additional Information

Brand / Label	Shrink-Kon
Color	Black
Number of Batteries	0
Process Temperature Rating	-67 to +275 °F -55 to +135 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
Shrink Ratio	3:1
Shrink Temperature	194 °F 90 °C
Thickness	Thin
UPC	786210937335

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PIG4013-0-E
Instructions and Manuals	PIG4013-0-E

Classifications

ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

