

PRODUCT-DETAILS

PKG1203-0-B

SHRINK-KON 100M BLACK



General Information

Extended Product Type	PKG1203-0-B
Product ID	7TCA017300R0515
EAN	5414363182306
Catalog Description	SHRINK-KON 100M BLACK
Long Description	Flexible for Moist Environments, Heat Shrink Tubing, 12.0mm Expanded Diameter, Black, 100M

Ordering

EAN	5414363182306
-----	---------------

Dimensions

Product Net Weight	9.8 lb 4.444 kg
--------------------	--------------------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	15.4 in 391 mm
Package Level 1 Height	10.3 in 262 mm

Package Level 1 Depth / Length	15.4 in 391 mm
Package Level 2 Units	2 piece
Package Level 2 Width	30 in 762 mm
Package Level 2 Height	10.4 in 264 mm
Package Level 2 Depth / Length	15.5 in 394 mm

Additional Information

Brand / Label	Shrink-Kon
Color	Black
Number of Batteries	0
Process Temperature Rating	-67 to +230 °F -55 to +110 °C
Product Name	Plastic conduit
Product Type	Flexible Heat Shrinkable Tubing
Shrink Ratio	4:1
Shrink Temperature	203 °F 95 °C
UPC	786209871411

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PKG1203-0-B
Instructions and Manuals	PKG1203-0-B

Classifications

ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

