

PRODUCT-DETAILS

PKG1806-C-C

PKG1806 TRANSPARANT



General Information

Extended Product Type	PKG1806-C-C
Product ID	7TCA017300R0526
EAN	5414363467311
Catalog Description	PKG1806 TRANSPARANT
Long Description	Flexible for Moist Environments, Heat Shrink Tubing, 19.0mm Expanded Diameter, Transparent, 0.6M Lengths X 6

Ordering

EAN	5414363467311
-----	---------------

Dimensions

Product Net Weight	.088 lb 39.909 g
--------------------	---------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	2 in 51 mm
Package Level 1 Height	4 in 102 mm

Package Level 1 Depth / Length	27.6 in 701 mm
Package Level 2 Units	20 piece
Package Level 2 Width	2.1 in 53 mm
Package Level 2 Height	4 in 102 mm
Package Level 2 Depth / Length	27.6 in 701 mm

Additional Information

Brand / Label	Shrink-Kon
Color	Transparent
Number of Batteries	0
Process Temperature Rating	-67 to +230 °F -55 to +110 °C
Product Name	Plastic conduit
Product Type	Flexible Heat Shrinkable Tubing
Shrink Ratio	3:1
Shrink Temperature	203 °F 95 °C
UPC	786209913371

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PKG1806-C-C
Instructions and Manuals	PKG1806-C-C

Classifications

ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

