

Product Data Sheet GW10726AB


CHORUSMART - Domestic range





A range of ChoruSmart modular devices and plates made of antibacterial technopolymer in a glossy white finish, suitable for use in hospitals, nursing homes, schools and wherever cleanness and hygiene are essential. The effective silver-ion antibacterial treatment can reduce bacterial growth by 99% within 24 hours and has been verified by certified laboratory testing in accordance with standard ISO 22196 (analysis of major strains of Staphylococcus aureus and E. coli bacterial species).

| Category | Call relay | Output contacts | 1NO/NC 12 V (max. 1A) | |
|---|------------------------------|---|---|--|
| Colour | Glossy white | Supply voltage | 12V ac/dc | |
| Description | Call relay | No. of poles | 1P | |
| Voltage | 12V ac/dc | Standard EN 60 | ard EN 60669-1 - EN 60669-2-2 - ISO 22196 | |
| Resistance at test voltage | 2000 V at 50 Hz for 1 minute | Insulation resistance | > 5 MOhm | |
| Wiring terminals | With screw | Prolonged operation switch (no.of position changes) | 40.000 at In 250 V ac cosφ=0,6 | |
| Thermo-pressure with ball | 125 °C | Glow Wire Test | 850 °C | |
| Terminal grip on cable traction | > 50 N | Terminal tightening capacity stranded cables (mm²) | min. 0,75 - max. 2x4 | |
| Terminal tightening capacity solid cables (mm²) | min. 0,5 - max. 2x2,5 | No. modules | 1 | |
| Material | Antibacterial tecnopolymer | Electrocod | 140 | |

DIMENSIONAL







TECHNICAL SYMBOLOGY



STANDARDS/APPROVALS

