

HF transponder, coin

RFID transponders

RFID





Ordering information

Туре	Part no.
HF transponder, coin	6041592

Other models and accessories → www.sick.com/RFID_transponders



Detailed technical data

Features

Hardtag	
HF (13.56 MHz)	
13.56 MHz	
ISO/IEC 15693, ISO/IEC 18000-3 "Mode 1"	
2.5 cm ¹⁾	
3.5 cm ¹⁾	
4.5 cm ¹⁾	
6 cm ¹⁾	
10 cm ¹⁾	
NXP ICODE SLIX	
896 Bit (28 x 4 Byte)	
≤ 100,000	
< 10 years	
1	

 $^{^{1)}\,\}mbox{Typical value;}$ actual value depends on environmental conditions.

Mechanics/electronics

Housing	Modified thermoplastic
Housing color	White
Enclosure rating	IP68
Weight	+ 1 g
Diameter	16 mm
Thickness	2.9 mm
Design	Round
ATEX marking	✓

Ambient data

Ambient operating temperature	-40 °C +85 °C ¹⁾
Application temperature	+ 120 °C, 100 h, 1 ²⁾ + 220 °C, 30 s, 1 ²⁾
Storage temperature	-40 °C +90 °C


 $^{^{1)}}$ Max. temperature at which the RFID transponder can interact with the RFID read/write device.

Classifications

ECI@ss 5.0	27280402
ECI@ss 5.1.4	27280402
ECI@ss 6.0	27280402
ECI@ss 6.2	27280402
ECI@ss 7.0	27280402
ECI@ss 8.0	27280402
ECI@ss 8.1	27280402
ECI@ss 9.0	27280402
ECI@ss 10.0	27280402
ECI@ss 11.0	27280402
ETIM 6.0	EC002998
ETIM 7.0	EC002998
UNSPSC 16.0901	52161523


Reading field diagram


Reading field diagram RFH62x



 $^{^{2)}\,{\}rm Max.}\,{\rm temperature}\,{\rm the}\,{\rm RFID}\,{\rm transponder}\,{\rm can}\,{\rm withstand}\,{\rm [maximum}\,{\rm temperature};{\rm duration};{\rm cycles]}.$

Reading field diagram RFH63x





Recommended services

Additional services → www.sick.com/RFID_transponders

	Туре	Part no.
Commissioning		
 Product area: RFID Range of services: Inspection of connection, alignment, optimization of parameters of the RFU/RFH as well as tests, Setup of previously defined functions of reading configuration, data processing and network, interfaces and inputs and outputs Travel expenses: The prices do not include travel costs such as hotel, flight, travel time and expenses. Duration: Additional work will be invoiced separately 	Commissioning RFU/RFH	1610018
Product, system, and software training		
Range of services: The training contents are geared toward the RFID read/write devices, Training format and location can be worked out in collaboration with SICK, SICK offers training courses for numerous target groups ranging from basic to expert levels	RFH/RFU training	1612233
Maintenance		
 Product area: RFID Range of services: Inspection, analysis and restoring of defined functions, Checking and adjustment of reading configuration, data processing, network, interfaces and inputs and outputs as well as operating data Travel expenses: The prices do not include travel costs such as hotel, flight, travel time and expenses. Duration: Additional work will be invoiced separately 	Maintenance RFU/RFH	1611424

SICK AT A GLANCE

SICK is one of the leading manufacturers of intelligent sensors and sensor solutions for industrial applications. A unique range of products and services creates the perfect basis for controlling processes securely and efficiently, protecting individuals from accidents and preventing damage to the environment.

We have extensive experience in a wide range of industries and understand their processes and requirements. With intelligent sensors, we can deliver exactly what our customers need. In application centers in Europe, Asia and North America, system solutions are tested and optimized in accordance with customer specifications. All this makes us a reliable supplier and development partner.

Comprehensive services complete our offering: SICK LifeTime Services provide support throughout the machine life cycle and ensure safety and productivity.

For us, that is "Sensor Intelligence."

WORLDWIDE PRESENCE:

Contacts and other locations -www.sick.com

