



Wire draw encoders Compact

BKS09-ATBM0520



Model Name > **BKS09-ATBM0520**
Part No. > **1035241**



Illustration may differ

At a glance

- Absolute encoder
- Compact housing (90 x 90 x 90 mm)
- Encoder integrated into housing
- Measuring lengths from 2 m to 5 m
- High resolution
- SSI interface

Your benefits

- Industrial designed encoder integrated in an aluminum housing makes it less susceptible to external damage, saving time and reducing maintenance costs
- Extremely precise measurements by eliminating the coupling between the encoder and the mechanism
- Space-saving installation, since the encoder is directly integrated into the wire draw mechanics.
- Very precise measurements thanks to high resolution
- No reference run necessary thanks to the absolute measuring principle



Performance

Measuring range:	0 m ... 5 m
Linearity:	$\leq \pm 0.7 \text{ mm}$
Piston speed:	3.5 m/s
Repeat accuracy typ:	3 measuring steps

Mechanical data

Mass:	1.5 kg
Measuring wire diameter:	0.6 mm
Housing material:	Aluminum
Spring return force:	4 N ... 6 N ¹⁾
Life of wire draw mechanism::	800,000 cycles ²⁾ ³⁾
Wire acceleration:	$\leq 20 \text{ m/s}^2$

¹⁾ These values were measured at an ambient temperature of 25 °C. There may be variations at other temperatures. ²⁾ Average values, which depend on the application ³⁾ At high operating speeds over great lengths, this figure can decrease; at slow operating speeds over short lengths, it can increase.

Electrical data

Initialization time:	200 s ¹⁾
Position forming time:	0.1 ms
Code type:	24 bit/Gray
Code sequence:	Rising at wire pull-out
MTTFd: mean time to dangerous failure:	150 a (EN ISO 13849) ²⁾

¹⁾ Valid positional data can be read once this time has elapsed. ²⁾ This product is a standard product and does not constitute a safety component as defined in the Machinery Directive.

Calculation based on nominal load of components, average ambient

temperature 40°C, frequency of use 8760 h/a. All

electronic failures are considered hazardous. For more information, see document no. 8015532.

Interfaces


Electrical interface:	12 V ... 30 V, SSI
Connection type:	Connector M23, 12-pin, radial
Clock frequency:	1 MHz ¹⁾
Interface signals:	Clock +, Clock -, Data +, Data-

¹⁾

Ambient data

EMC:	(according to EN 61000-6-2 and EN 61000-6-3)
Enclosure rating encoder:	IP 52 (according to IEC 60529), Note required mounting position
Resistance to shocks:	20 g, 6 ms (according to EN 60068-2-27)
Resistance to vibration:	10 g, 10 Hz ... 2,000 Hz (according to EN 60068-2-6)
Working temperature range:	-10 °C ... 70 °C
Storage temperature range:	-20 °C ... 80 °C
Relative humidity/Condensation:	90 % (Condensation not permitted)

Dimensional drawing



Australia

Phone +61 3 9457 0600
1800 334 802 – tollfree
E-Mail sales@sick.com.au

Belgium/Luxembourg

Phone +32 (0)2 466 55 66
E-Mail info@sick.be

Brasil

Phone +55 11 3215-4900
E-Mail sac@sick.com.br

Canada

Phone +1 905 771 14 44
E-Mail information@sick.com

Ceská Republika

Phone +420 2 57 91 18 50
E-Mail sick@sick.cz

China

Phone +86 4000 121 000
E-Mail info.china@sick.net.cn
Phone +852-2153 6300
E-Mail ghk@sick.com.hk

Danmark

Phone +45 45 82 64 00
E-Mail sick@sick.dk

Deutschland

Phone +49 211 5301-301
E-Mail kundenservice@sick.de

España

Phone +34 93 480 31 00
E-Mail info@sick.es

France

Phone +33 1 64 62 35 00
E-Mail info@sick.fr

Great Britain

Phone +44 (0)1727 831121
E-Mail info@sick.co.uk

India

Phone +91-22-4033 8333
E-Mail info@sick-india.com

Israel

Phone +972-4-6801000
E-Mail info@sick-sensors.com

Italia

Phone +39 02 27 43 41
E-Mail info@sick.it

Japan

Phone +81 (0)3 3358 1341
E-Mail support@sick.jp

Magyarország

Phone +36 1 371 2680
E-Mail office@sick.hu

Nederlands

Phone +31 (0)30 229 25 44
E-Mail info@sick.nl

Norge

Phone +47 67 81 50 00
E-Mail austefjord@sick.no

Österreich

Phone +43 (0)22 36 62 28 8-0
E-Mail office@sick.at

Polska

Phone +48 22 837 40 50
E-Mail info@sick.pl

România

Phone +40 356 171 120
E-Mail office@sick.ro

Russia

Phone +7-495-775-05-30
E-Mail info@sick.ru

Schweiz

Phone +41 41 619 29 39
E-Mail contact@sick.ch

Singapore

Phone +65 6744 3732
E-Mail admin@sicksgp.com.sg

Slovenija

Phone +386 (0)1-47 69 990
E-Mail office@sick.si

South Africa

Phone +27 11 472 3733
E-Mail info@sickautomation.co.za

South Korea

Phone +82 2 786 6321/4
E-Mail info@sickkorea.net

Suomi

Phone +358-9-25 15 800
E-Mail sick@sick.fi

Sverige

Phone +46 10 110 10 00
E-Mail info@sick.se

Taiwan

Phone +886-2-2375-6288
E-Mail sales@sick.com.tw

Türkiye

Phone +90 (216) 528 50 00
E-Mail info@sick.com.tr

United Arab Emirates

Phone +971 (0) 4 8865 878
E-Mail info@sick.ae

USA/México

Phone +1(952) 941-6780
1 800-325-7425 – tollfree
E-Mail info@sickusa.com

More representatives and agencies
at www.sick.com