ONLINE DATA SHEET
www.mysick.com

Incremental encoders
DDS50

DDS50E-S4CR00500

SICK
Sensor Intelligence.

SICK
Sensor Intelligence.

Incremental encoders
DDS50

Model Name > DDS50E-S4CR00500
Part No. > 1038700

Illustration may differ

At a glance

- Compact diameter of 50 mm
- Choice of various electric interfaces: TTL/RS-422, HTL/push pull and open collector NPN
- Face mount flange with solid shaft
- Connection type using axial cable outlet
- Line counts from 100 up to 2,500 possible
- Working temperature range: -10 °C ... 70 °C
- Enclosure rating: IP65

Your benefits

- Compact design easily fits in applications with limited installation space
- Extensive incremental encoders product portfolio means users can select the right solution for their requirements
- Excellent price-performance ratio with a rugged IP 65 enclosure rating

CE

Performance

Error limits:	± 0.05 °
Measuring step deviation:	± 0.018 ° [1]
Measuring step:	0.18 ° [2]
Pulses per revolution:	500

[1] Measuring step x 0.1 [2] 360°/(number of lines x 4)

Mechanical data

Mechanical interface:	Solid shaft, Face mount flange
Shaft diameter:	8 mm x 15.5 mm
Mass:	145 g
Start up torque:	1 Ncm (20 °C)
Operating torque:	4 Nmm (20 °C)
Maximum operating speed:	6,000 U/min [1]
Moment of inertia of the rotor:	0.8 kg/mm²
Bearing lifetime:	2 x 10^9 revolutions
Max. angular acceleration:	5 x 10^5 rad/s²
Permissible shaft loading radial/axial:	50 N, 30 N

[1] Self-warming 3.3 K per 1,000 1/min

© SICK AG. Subject to change without notice.

Electrical data

Electrical interface:	7 V ... 24 V, TTL/RS422, Cable, axial, 1.5 m
Connection type:	Cable, axial, 1.5 m
Operating power consumption (no load):	100 mA
Supply voltage:	7 V ... 24 V
Output current:	20 mA
Maximum output frequency:	300 kHz
Reference signal, number:	1
Reference signal, position:	90 °, electronically, gated with A and B

Ambient data

EMC:	EN 61000-6-2, EN 61000-6-4
Protection class housing side with cable outlet:	IP 65
Protection class shaft side:	IP 65
Air humidity:	90 % [1)]
Working temperature range:	-10 °C ... 70 °C
Storage temperature range:	-25 °C ... 85 °C, without package
Resistance to shocks:	100 g, 6 ms (EN 60068-2-27)
Resistance to vibration:	5 g, 10 Hz ... 200 Hz (EN 60068-2-6)
Enclosure rating:	IP 65

[1)] Condensation of the optical scanning not permitted

© SICK AG. Subject to change without notice.

· USmod 4c int40

Australia
Phone +61 3 9457 0600
1800 334 802 – tollfree
E-Mail sales@sick.com.au

Belgium/Luxembourg
Phone +32 (0)2 466 55 66
E-Mail info@sick.be

Brasil
Phone +55 11 3215-4900
E-Mail sac@sick.com.br

Canada
Phone +1 905 771 14 44
E-Mail information@sick.com

Ceská Republika
Phone +420 2 57 91 18 50
E-Mail sick@sick.cz

China
Phone +86 4000 121 000
E-Mail info.china@sick.net.cn
Phone +852-2153 6300
E-Mail ghk@sick.com.hk

Danmark
Phone +45 45 82 64 00
E-Mail sick@sick.dk

Deutschland
Phone +49 211 5301-301
E-Mail kundenservice@sick.de

España
Phone +34 93 480 31 00
E-Mail info@sick.es

France
Phone +33 1 64 62 35 00
E-Mail info@sick.fr

Great Britain
Phone +44 (0)1727 831121
E-Mail info@sick.co.uk

India
Phone +91–22–4033 8333
E-Mail info@sick-india.com

Israel
Phone +972-4-6801000
E-Mail info@sick-sensors.com

Italia
Phone +39 02 27 43 41
E-Mail info@sick.it

Japan
Phone +81 (0)3 3358 1341
E-Mail support@sick.jp

Magyarország
Phone +36 1 371 2680
E-Mail office@sick.hu

Nederlands
Phone +31 (0)30 229 25 44
E-Mail info@sick.nl

Norge
Phone +47 67 81 50 00
E-Mail austefjord@sick.no

Österreich
Phone +43 (0)22 36 62 28 8-0
E-Mail office@sick.at

Polska
Phone +48 22 837 40 50
E-Mail info@sick.pl

România
Phone +40 356 171 120
E-Mail office@sick.ro

Russia
Phone +7-495-775-05-30
E-Mail info@sick.ru

Schweiz
Phone +41 41 619 29 39
E-Mail contact@sick.ch

Singapore
Phone +65 6744 3732
E-Mail admin@sicksgp.com.sg

Slovenija
Phone +386 (0)1-47 69 990
E-Mail office@sick.si

South Africa
Phone +27 11 472 3733
E-Mail info@sickautomation.co.za

South Korea
Phone +82 2 786 6321/4
E-Mail info@sickkorea.net

Suomi
Phone +358-9-25 15 800
E-Mail sick@sick.fi

Sverige
Phone +46 10 110 10 00
E-Mail info@sick.se

Taiwan
Phone +886-2-2375-6288
E-Mail sales@sick.com.tw

Türkiye
Phone +90 (216) 528 50 00
E-Mail info@sick.com.tr

United Arab Emirates
Phone +971 (0) 4 8865 878
E-Mail info@sick.ae

USA/México
Phone +1(952) 941-6780
1 800-325-7425 – tollfree
E-Mail info@sickusa.com

More representatives and agencies
at **www.sick.com**

SICK
Sensor Intelligence.