



Optical data transmission ISD400, ISD400 Core, Ethernet

ISD400-6121



Model Name > [ISD400-6121](#)
Part No. > [1046120](#)



At a glance

- Adjustable carrier frequency F1/F2
- Simple installation thanks to optical and electronic alignment help
- Up to 3 Mbit/s optical transfer rate
- 10/100 Mbit Ethernet

Your benefits

- An integrated optical and electronic alignment aid supports fast and cost efficient installation
- The electronically adjustable carrier frequency allows each ISD400 to be used as either sender or receiver unit, thus reducing stock keeping costs
- Large operating temperature range guarantees highest machine up times - even in cold stores
- Increased system speed with fast data transmission



Performance

Light source:	LED, infrared (880 nm)
Heating:	✓
Typ. light spot size (distance):	1.75 m (at 100 m)
Transmission range:	0.2 m ... 180 m
Field of view:	Ca. $\pm 0.5^\circ$

Interfaces

Data transmission rate:	3 Mbit/s
Output type:	24 V DC (VS - 2.25 V DC ... VS)
Switching input:	VS: sender deactivated
Signal delay:	$\leq 350 \mu\text{s} + \text{no. of Bytes} \times 8/3 \text{ Mbit/s}$ ¹⁾
Data interface ²⁾ :	Ethernet

¹⁾ 1 μs + 2 Tbit only for PROFIBUS ²⁾ Internal buffer 8 kB

Mechanics/electronics

Supply voltage Vs:	DC 18 V ... 30 V
Power consumption:	$\leq 0.8 \text{ A}$
Weight:	Ca. 900 g
Housing material:	Metal

Connection type:


Connector M12, 4-pin

Ambient data

Enclosure rating:	IP 65
Protection class:	III
Max. rel. humidity (not condensing):	90 %, non-condensing
Ambient operating temperature:	-40 °C ... 55 °C
Electromagnetic compatibility (EMC):	EN 61000-6-2/EN 61000-6-4 ¹⁾
Storage temperature:	-40 °C ... 75 °C

¹⁾ This is a Class A device. This device can cause radio interference in living quarters.

Dimensional drawing





Adjustments



[6] Liquid crystal display with funktion keys

Connection type





[7] Multifunctional input (MF)

Australia

Phone +61 3 9457 0600
1800 334 802 – tollfree
E-Mail sales@sick.com.au

Belgium/Luxembourg

Phone +32 (0)2 466 55 66
E-Mail info@sick.be

Brasil

Phone +55 11 3215-4900
E-Mail sac@sick.com.br

Canada

Phone +1 905 771 14 44
E-Mail information@sick.com

Ceská Republika

Phone +420 2 57 91 18 50
E-Mail sick@sick.cz

China

Phone +86 4000 121 000
E-Mail info.china@sick.net.cn
Phone +852-2153 6300
E-Mail ghk@sick.com.hk

Danmark

Phone +45 45 82 64 00
E-Mail sick@sick.dk

Deutschland

Phone +49 211 5301-301
E-Mail kundenservice@sick.de

España

Phone +34 93 480 31 00
E-Mail info@sick.es

France

Phone +33 1 64 62 35 00
E-Mail info@sick.fr

Great Britain

Phone +44 (0)1727 831121
E-Mail info@sick.co.uk

India

Phone +91-22-4033 8333
E-Mail info@sick-india.com

Israel

Phone +972-4-6801000
E-Mail info@sick-sensors.com

Italia

Phone +39 02 27 43 41
E-Mail info@sick.it

Japan

Phone +81 (0)3 3358 1341
E-Mail support@sick.jp

Magyarország

Phone +36 1 371 2680
E-Mail office@sick.hu

Nederlands

Phone +31 (0)30 229 25 44
E-Mail info@sick.nl

Norge

Phone +47 67 81 50 00
E-Mail austefjord@sick.no

Österreich

Phone +43 (0)22 36 62 28 8-0
E-Mail office@sick.at

Polska

Phone +48 22 837 40 50
E-Mail info@sick.pl

România

Phone +40 356 171 120
E-Mail office@sick.ro

Russia

Phone +7-495-775-05-30
E-Mail info@sick.ru

Schweiz

Phone +41 41 619 29 39
E-Mail contact@sick.ch

Singapore

Phone +65 6744 3732
E-Mail admin@sicksgp.com.sg

Slovenija

Phone +386 (0)1-47 69 990
E-Mail office@sick.si

South Africa

Phone +27 11 472 3733
E-Mail info@sickautomation.co.za

South Korea

Phone +82 2 786 6321/4
E-Mail info@sickkorea.net

Suomi

Phone +358-9-25 15 800
E-Mail sick@sick.fi

Sverige

Phone +46 10 110 10 00
E-Mail info@sick.se

Taiwan

Phone +886-2-2375-6288
E-Mail sales@sick.com.tw

Türkiye

Phone +90 (216) 528 50 00
E-Mail info@sick.com.tr

United Arab Emirates

Phone +971 (0) 4 8865 878
E-Mail info@sick.ae

USA/México

Phone +1(952) 941-6780
1 800-325-7425 – tollfree
E-Mail info@sickusa.com

More representatives and agencies
at www.sick.com