



Level sensors  
Vibrating level switch, LBV321

LBV321-XXTGCTKMX01000



**Model Name** > **LBV321-XXTGCTKMX01000**  
**Part No.** > **6044870**



*Product may differ  
from illustration*

**At a glance**

- Rugged device design with rope extension up to 80 m
- Several housing materials and electrical outputs available
- Monoprobe design prevents bulk materials from sticking and jamming
- Commissioning without filling
- Process temperature up to 150 °C
- Very high repeatability
- ATEX versions (1D/2D/1G/2G) available

**Your benefits**

- Vertical mounting in difficult installation conditions
- Easy installation - no need to calibrate for the material
- Easy operation and integration, saves time
- Monoprobe design for continual operation in challenging materials
- On-site testing - no mounting required, which reduces installation time
- Flexible, rugged system suitable for several types of applications



**Features**

Medium:	Bulk solids
Measurement:	Switch
Probe length:	1,000 mm
Process pressure:	-1 bar ... 6 bar
Process temperature:	-20 °C ... 80 °C
ATEX certification:	-
Fill material density:	0.02 g/cm <sup>3</sup>
Tensile strength:	≤ 3,000 N

**Performance**

Accuracy of sensor element:	± 10 mm
Repeatability:	≤ 5 mm
Response time:	500 ms when covered/1000 ms when uncovered

**Mechanical data**

Housing material:	Plastic
Process connection:	G 1 A
Sensor material:	Stainless steel 316L, 318S, PUR, FEB

## Electrical data

---

Enclosure rating:	IP 66/IP 67, IP 66/IP 68 (0.2 bar)
Ripple:	$\leq 5$ Vpp
Power consumption:	$< 10$ mA
VDE protection class 2:	✓
Initialization time:	$< 2$ s
Output signal:	Transistor output PNP/ NPN: 10 V DC ... 55 V DC
Hysteresis:	10 mm
Output current:	$< 300$ mA
Signal voltage HIGH:	$U_v - 3$ V
Signal voltage LOW:	$< 1$ V
Capacitive load:	100 nF
Inductive load:	1 H
Connection type:	M20 x 1.5


## Ambient data

---


Ambient operating temperature:	-40 °C ... 70 °C
Ambient storage temperature:	-40 °C ... 80 °C

## Transistor connection diagram

---




## Horizontal mounting



- |1| Protective sheet
- |2| Concave protective sheet for abrasive solids


## Ambient temperature - process temperature



- |1| Process temperature in °C (°F)
- |2| Ambient temperature in °C (°F)
- |3| Temperature range with temperature adapter


**PNP action**

---



**NPN action**

---



**Australia**

Phone +61 3 9457 0600  
1800 334 802 – tollfree  
E-Mail sales@sick.com.au

**Belgium/Luxembourg**

Phone +32 (0)2 466 55 66  
E-Mail info@sick.be

**Brasil**

Phone +55 11 3215-4900  
E-Mail sac@sick.com.br

**Canada**

Phone +1 905 771 14 44  
E-Mail information@sick.com

**Ceská Republika**

Phone +420 2 57 91 18 50  
E-Mail sick@sick.cz

**China**

Phone +86 4000 121 000  
E-Mail info.china@sick.net.cn  
Phone +852-2153 6300  
E-Mail ghk@sick.com.hk

**Danmark**

Phone +45 45 82 64 00  
E-Mail sick@sick.dk

**Deutschland**

Phone +49 211 5301-301  
E-Mail kundenservice@sick.de

**España**

Phone +34 93 480 31 00  
E-Mail info@sick.es

**France**

Phone +33 1 64 62 35 00  
E-Mail info@sick.fr

**Great Britain**

Phone +44 (0)1727 831121  
E-Mail info@sick.co.uk

**India**

Phone +91-22-4033 8333  
E-Mail info@sick-india.com

**Israel**

Phone +972-4-6801000  
E-Mail info@sick-sensors.com

**Italia**

Phone +39 02 27 43 41  
E-Mail info@sick.it

**Japan**

Phone +81 (0)3 3358 1341  
E-Mail support@sick.jp

**Magyarország**

Phone +36 1 371 2680  
E-Mail office@sick.hu

**Nederlands**

Phone +31 (0)30 229 25 44  
E-Mail info@sick.nl

**Norge**

Phone +47 67 81 50 00  
E-Mail austefjord@sick.no

**Österreich**

Phone +43 (0)22 36 62 28 8-0  
E-Mail office@sick.at

**Polska**

Phone +48 22 837 40 50  
E-Mail info@sick.pl

**România**

Phone +40 356 171 120  
E-Mail office@sick.ro

**Russia**

Phone +7-495-775-05-30  
E-Mail info@sick.ru

**Schweiz**

Phone +41 41 619 29 39  
E-Mail contact@sick.ch

**Singapore**

Phone +65 6744 3732  
E-Mail admin@sicksgp.com.sg

**Slovenija**

Phone +386 (0)1-47 69 990  
E-Mail office@sick.si

**South Africa**

Phone +27 11 472 3733  
E-Mail info@sickautomation.co.za

**South Korea**

Phone +82 2 786 6321/4  
E-Mail info@sickkorea.net

**Suomi**

Phone +358-9-25 15 800  
E-Mail sick@sick.fi

**Sverige**

Phone +46 10 110 10 00  
E-Mail info@sick.se

**Taiwan**

Phone +886-2-2375-6288  
E-Mail sales@sick.com.tw

**Türkiye**

Phone +90 (216) 528 50 00  
E-Mail info@sick.com.tr

**United Arab Emirates**

Phone +971 (0) 4 8865 878  
E-Mail info@sick.ae

**USA/México**

Phone +1(952) 941-6780  
1 800-325-7425 – tollfree  
E-Mail info@sickusa.com

More representatives and agencies  
at [www.sick.com](http://www.sick.com)