



Laser scanners LD-PeCo / Indoor / Mid Range

LD-PeCo-15



Model Name > [LD-PeCo-15](#)
Part No. > [1023383](#)



At a glance

- Simultaneous counting of incoming and outgoing people
- Able to use with large passage widths
- High mounting heights possible

Your benefits

- Time-of-flight technology guarantees high count quality and reliability
- Due to its large range, installation on an existing ceiling or doorway is simple
- Large passage widths generally require only one sensor, reducing installation time and overall costs

Note: The product has been phased out. Please contact your national subsidiary/agent for further information.



Features

Field of application:	Indoor
Version:	Mid Range
Light source:	Infrared (905 nm)
Laser class:	1, eye-safe
Field of view:	90 °
Scanning frequency:	10 Hz
Operating range:	5.5 m ... 15 m
Max. range with 10 % reflectivity:	15 m
Corridor width:	1 m ... 26 m

Performance

Detectable object shape:	Almost any
Integrated application:	People counting
Max. throughput speed:	2.4 m/s

Interfaces

Serial (RS-422):	✓
Data transmission rate (Serial (RS-422)):	≤ 19,200 Baud 19,200 Baud
Ethernet:	-
CAN bus:	-

PROFIBUS DP:	-
PROFINET:	-
DeviceNet:	-
Switching outputs:	2 („Count IN", „Count OUT")
Optical indicators:	4 LEDs (Status display)

Mechanics/electronics

Electrical connection:	1 10-pin terminal strip on internal inter circuit board
Operating voltage:	$\leq 24 \text{ V DC} \pm 15 \%$
Power consumption:	36 W
Housing:	Polystrol
Housing color:	White aluminium (RAL 9006)
Enclosure rating:	IP 40 (DIN 40 050)
Weight:	6 kg
Dimensions:	340 mm x 350 mm x 180 mm


Ambient data

Electromagnetic compatibility (EMC):	(EN 61000-6-3) (EN 61000-6-1)
Ambient operating temperature:	0 °C ... 40 °C
Storage temperature:	-20 °C ... 80 °C
Permissible relative humidity:	85 %, non-condensing

General notes

Note on use:	Not suitable for personnel protection
Life cycle phase:	Phased out

Dimensional drawing



Australia

Phone +61 3 9457 0600
1800 334 802 – tollfree
E-Mail sales@sick.com.au

Belgium/Luxembourg

Phone +32 (0)2 466 55 66
E-Mail info@sick.be

Brasil

Phone +55 11 3215-4900
E-Mail sac@sick.com.br

Canada

Phone +1 905 771 14 44
E-Mail information@sick.com

Ceská Republika

Phone +420 2 57 91 18 50
E-Mail sick@sick.cz

China

Phone +86 4000 121 000
E-Mail info.china@sick.net.cn
Phone +852-2153 6300
E-Mail ghk@sick.com.hk

Danmark

Phone +45 45 82 64 00
E-Mail sick@sick.dk

Deutschland

Phone +49 211 5301-301
E-Mail kundenservice@sick.de

España

Phone +34 93 480 31 00
E-Mail info@sick.es

France

Phone +33 1 64 62 35 00
E-Mail info@sick.fr

Great Britain

Phone +44 (0)1727 831121
E-Mail info@sick.co.uk

India

Phone +91-22-4033 8333
E-Mail info@sick-india.com

Israel

Phone +972-4-6801000
E-Mail info@sick-sensors.com

Italia

Phone +39 02 27 43 41
E-Mail info@sick.it

Japan

Phone +81 (0)3 3358 1341
E-Mail support@sick.jp

Magyarország

Phone +36 1 371 2680
E-Mail office@sick.hu

Nederlands

Phone +31 (0)30 229 25 44
E-Mail info@sick.nl

Norge

Phone +47 67 81 50 00
E-Mail austefjord@sick.no

Österreich

Phone +43 (0)22 36 62 28 8-0
E-Mail office@sick.at

Polska

Phone +48 22 837 40 50
E-Mail info@sick.pl

România

Phone +40 356 171 120
E-Mail office@sick.ro

Russia

Phone +7-495-775-05-30
E-Mail info@sick.ru

Schweiz

Phone +41 41 619 29 39
E-Mail contact@sick.ch

Singapore

Phone +65 6744 3732
E-Mail admin@sicksgp.com.sg

Slovenija

Phone +386 (0)1-47 69 990
E-Mail office@sick.si

South Africa

Phone +27 11 472 3733
E-Mail info@sickautomation.co.za

South Korea

Phone +82 2 786 6321/4
E-Mail info@sickkorea.net

Suomi

Phone +358-9-25 15 800
E-Mail sick@sick.fi

Sverige

Phone +46 10 110 10 00
E-Mail info@sick.se

Taiwan

Phone +886-2-2375-6288
E-Mail sales@sick.com.tw

Türkiye

Phone +90 (216) 528 50 00
E-Mail info@sick.com.tr

United Arab Emirates

Phone +971 (0) 4 8865 878
E-Mail info@sick.ae

USA/México

Phone +1(952) 941-6780
1 800-325-7425 – tollfree
E-Mail info@sickusa.com

More representatives and agencies
at www.sick.com