

PRODUCT-DETAILS

SKT140-80X

UV BLACK TIE 80N 140MM OEM PACK



General Information

Extended Product Type	SKT140-80X
Product ID	7TCA300080R0001
EAN	5415022209952
Catalog Description	UV BLACK TIE 80N 140MM OEM PACK
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 140mm (5.51 Inches), Width of 2.5mm (0.098 Inch), Thickness of 1.1mm (0.04 Inch), Tensile Strength Rating of 80 Newtons (18 Pounds), Bulk Pack

Ordering

EAN	5415022209952
-----	---------------

Dimensions

Product Net Length	0, mm
--------------------	-------

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	9.45 in 240 mm
Package Level 1 Height	2.17 in

	55 mm
Package Level 1 Depth / Length	11.81 in 300 mm
Package Level 2 Units	55000 piece
Package Level 2 Width	14.96 in 380 mm
Package Level 2 Height	14.17 in 360 mm
Package Level 2 Depth / Length	22.44 in 570 mm

Additional Information

Application	For Temperatures up to 85 Degrees Celsius (185 F). Weather and Ultraviolet Resistant for Indoor and Outdoor Applications. The right cable tie for control panels and wiring harness applications.
Brand / Label	Spec-Kon
Bundle Diameter	0.059 to 1.3 in 1.5 to 33 mm
Color	Black
Effective Date	20131129
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	OTHER PLASTIC ITEM
Product Type	General Purpose
Special Functions	Cost effective and easy to install
Standards	UL E49405
Tensile Strength	18 lb 80 N
Thickness	0.043 in 1.1 mm
UPC	753554016224

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SKT140-80X
Declaration of Conformity - CE	9AKK107492A9842
Instructions and Manuals	SKT140-80X

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

