SKT200-180X

UV BLACK TIE 180N 200MM OEM PACK

General Information

Extended Product Type	SKT200-180X
Product ID	7TCA300160R0001
EAN	5415022210118
Catalog Description	UV BLACK TIE 180N 200MM OEM PACK
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 200mm (7.87 Inches), Width of 3.6mm (0.14 Inch), Thickness of 1.2mm (0.047 Inch), Tensile Strength Rating of 180 Newtons (40 Pounds), Bulk Pack

Ordering

EAN	5415022210118

Dimensions

Product Net Weight	.002 lb
	.907 g

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	13.78 in
	350 mm

Package Level 1 Height	2.76 in 70 mm
Package Level 1 Depth / Length	14.96 in 380 mm
Package Level 2 Units	22000 piece
Package Level 2 Width	15.5 in 394 mm
Package Level 2 Height	14.4 in 366 mm
Package Level 2 Depth / Length	22.5 in 572 mm

Additional Information

Application	For Temperatures up to 85 Degrees Celsius (185 F). Weather and Ultraviolet Resistant for Indoor and Outdoor Applications. The right cable tie for control panels and wiring harness applications.
Brand / Label	Spec-Kon
Bundle Diameter	0.079 to 2.08 in 2 to 53 mm
Color	Black
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	OTHER PLASTIC ITEM
Product Type	General Purpose
Special Functions	Cost effective and easy to install
Standards	UL E49405
Tensile Strength	40 lb 180 N
Thickness	0.047 in 1.2 mm
UPC	753554016385

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SKT200-180X
Declaration of Conformity - CE	9AKK107492A9842
Instructions and Manuals	SKT200-180X

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties