

PRODUCT-DETAILS

SKT215-220

NATURAL TIE 220N 215MM OEM PACK



General Information

Extended Product Type	SKT215-220
Product ID	7TCA300200R0001
EAN	5415022210255
Catalog Description	NATURAL TIE 220N 215MM OEM PACK
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Length of 215mm (8.464 Inches), Width of 4.8mm (0.189 Inch), Thickness of 1.4mm (0.055 Inch), Tensile Strength Rating of 220 Newtons (50 Pounds), Bulk Pack

Ordering

EAN	5415022210255
-----	---------------

Dimensions

Product Net Weight	.004 lb
	1.814 g

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	13.78 in
	350 mm
Package Level 1 Height	3.15 in

	80 mm
Package Level 1 Depth / Length	16.93 in 430 mm
Package Level 2 Units	13000 piece
Package Level 2 Width	14.96 in 380 mm
Package Level 2 Height	14.17 in 360 mm
Package Level 2 Depth / Length	22.44 in 570 mm

Additional Information

Application	For Temperatures up to 85 Degrees Celsius (185 F). The right cable tie for control panels and wiring harness applications.
Brand / Label	Spec-Kon
Bundle Diameter	0.118 to 2.08 in 3 to 53 mm
Color	Natural
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	OTHER PLASTIC ITEM
Product Type	General Purpose
Special Functions	Cost effective and easy to install
Standards	UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum
Tensile Strength	50 lb 220 N
Thickness	0.055 in 1.4 mm
UPC	753554016521

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SKT215-220
Declaration of Conformity - CE	9AKK107492A9842
Instructions and Manuals	SKT215-220

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

