

PRODUCT-DETAILS

SKT300-220-100

NATURAL TIE 220N 300MM DISTRI PACK



General Information

Extended Product Type	SKT300-220-100
Product ID	7TCA300180R0003
EAN	5415022210323
Catalog Description	NATURAL TIE 220N 300MM DISTRI PACK
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Length of 300mm (11.811 Inches), Width of 7.6mm (0.3 Inch), Thickness of 1.6mm (0.063 Inch, Bundle Diameter 3mm (0.118 Inch) to 76mm (2.99 Inches), Tensile Strength Rating of 220 Newtons (50 Pounds)

Ordering

EAN	5415022210323
-----	---------------

Dimensions

Product Net Weight	.005 lb 2.268 g
--------------------	--------------------

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	5.12 in 130 mm

Package Level 1 Height	1.38 in 35 mm
Package Level 1 Depth / Length	16.54 in 420 mm
Package Level 2 Units	8000 piece
Package Level 2 Width	14.96 in 380 mm
Package Level 2 Height	14.17 in 360 mm
Package Level 2 Depth / Length	22.44 in 570 mm

Additional Information

Application	For Temperatures up to 85 Degrees Celsius (185 F). The right cable tie for control panels and wiring harness applications.
Brand / Label	Spec-Kon
Bundle Diameter	0.118 to 2.99 in 3 to 76 mm
Color	Natural
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	OTHER PLASTIC ITEM
Product Type	General Purpose
Special Functions	Cost effective and easy to install
Standards	UL E49405
Tensile Strength	50 lb 220 N
Thickness	0.051 in 1.3 mm
UPC	753554016590

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SKT300-220-100
Declaration of Conformity - CE	9AKK107492A9842
Instructions and Manuals	SKT300-220-100

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

