

PRODUCT-DETAILS

SKT300-220X

UV BLACK TIE 220N 300MM OEM PACK



Ogólne informacje

Extended Product Type	SKT300-220X
ID Produktu	7TCA300240R0003
Numer EAN	5415022210354
Opis katalogowy	UV BLACK TIE 220N 300MM OEM PACK
Opis	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 300mm (11.811 Inches), Width of 4.8mm (0.19 Inch), Thickness of 1.3mm (0.05 Inch), Tensile Strength Rating of 220 Newtons (50 Pounds), Bulk Pack

Charakterystyka zamówienia

Numer EAN	5415022210354
-----------	---------------

Wymiary

Waga produktu netto	.006 lb
	2.721 g

Informacje o pakowaniu

Jednostka opakowania	1000 sztuka
----------------------	-------------

(poziom 1)

Szerokość opakowania (poziom 1)	13.78 in 350 mm
------------------------------------	--------------------

Wysokość opakowania (poziom 1)	4.33 in 110 mm
-----------------------------------	-------------------

Długość opakowania (poziom 1)	18.9 in 480 mm
----------------------------------	-------------------

Jednostka opakowania (poziom 2)	8000 sztuka
------------------------------------	-------------

Szerokość opakowania (poziom 2)	14.96 in 380 mm
------------------------------------	--------------------

Wysokość opakowania (poziom 2)	14.17 in 360 mm
-----------------------------------	--------------------

Długość opakowania (poziom 2)	22.44 in 570 mm
----------------------------------	--------------------

Dodatkowe informacje

Zastosowanie	For Temperatures up to 85 Degrees Celsius (185 F). Weather and Ultraviolet Resistant for Indoor and Outdoor Applications. The right cable tie for control panels and wiring harness applications.
--------------	---

Brand / Label	Spec-Kon
---------------	----------

Bundle Diameter	0.118 to 2.99 in 3 to 76 mm
-----------------	--------------------------------

Kolor	Black
-------	-------

Lock Type	Plastic Pawl
-----------	--------------

Materiał	Nylon/Polyamide 6.6
----------	---------------------

Number of Batteries	0
---------------------	---

Nazwa produktu	OTHER PLASTIC ITEM
----------------	--------------------

Rodzaj produktu	General Purpose
-----------------	-----------------

Funkcje specjalne	Cost effective and easy to install
-------------------	------------------------------------

Standardy	UL E49405
-----------	-----------

Tensile Strength	50 lb 220 N
------------------	----------------

Thickness	0.051 in 1.3 mm
-----------	--------------------

UPC	753554016620
-----	--------------

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	SKT300-220X
---------------------------------------	-------------

Deklaracja zgodności - CE	9AKK107492A9842
---------------------------	-----------------

Instrukcje i podręczniki	SKT300-220X
--------------------------	-------------

Klasyfikacje

ETIM 6	EC000046 - Cable tie
--------	----------------------

ETIM 7	EC000046 - Cable tie
--------	----------------------

UNSPSC	39121703
--------	----------

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

IDEA Granular Category
Code (IGCC)

5034 >> Cable ties

Kategorie

Produkty niskiego napięcia i systemy → Produkty instalacyjne → Wire Management and Connectivity → Cable Ties

