

PRODUCT-DETAILS

SKT750-540-50

NATURAL TIE 540N 776MM DISTRI PACK



General Information

Extended Product Type	SKT750-540-50
Product ID	7TCA300260R0002
EAN	5415022210484
Catalog Description	NATURAL TIE 540N 776MM DISTRI PACK
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Length of 750mm (29.527 Inches), Width of 7.6mm (0.3 Inch), Thickness of 1.6mm (0.063 Inch), Tensile Strength Rating of 540 Newtons (120 Pounds), 50 Pack

Ordering

EAN	5415022210484
-----	---------------

Dimensions

Product Net Weight	.032 lb 14.512 g
--------------------	---------------------

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	5.12 in 130 mm
Package Level 1 Height	2 in

	51 mm
Package Level 1 Depth / Length	37.4 in 950 mm
Package Level 2 Units	1500 piece
Package Level 2 Width	13.39 in 340 mm
Package Level 2 Height	7.28 in 185 mm
Package Level 2 Depth / Length	36.22 in 920 mm

Additional Information

Application	For Temperatures up to 85 Degrees Celsius (185 F). The right cable tie for control panels and wiring harness applications.
Brand / Label	Spec-Kon
Bundle Diameter	0.275 to 8.58 in 7 to 218 mm
Color	Natural
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	OTHER PLASTIC ITEM
Product Type	General Purpose
Special Functions	Cost effective and easy to install
Standards	UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum
Tensile Strength	120 lb 540 N
Thickness	0.063 in 1.6 mm
UPC	753554016750

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SKT750-540-50
Declaration of Conformity - CE	9AKK107492A9842
Instructions and Manuals	SKT750-540-50

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

