

PRODUCT-DETAILS

SKT776-780-50

NATURAL TIE 780N 776MM DISTRI PACK



General Information

Extended Product Type	SKT776-780-50
Product ID	7TCA300340R0000
EAN	5415022210521
Catalog Description	NATURAL TIE 780N 776MM DISTRI PACK
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Length of 778mm (30.63 Inches), Width of 9.0mm (0.354 Inch), Thickness of 1.8mm (0.071 Inch), Tensile Strength Rating of 780 Newtons (175 Pounds), 50 Pack

Ordering

EAN	5415022210521
-----	---------------

Dimensions

Product Net Weight	.036 lb 16.327 g
--------------------	---------------------

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	5.12 in 130 mm
Package Level 1 Height	2 in

	51 mm
Package Level 1 Depth / Length	37.4 in 950 mm
Package Level 2 Units	1500 piece
Package Level 2 Width	13.39 in 340 mm
Package Level 2 Height	7.28 in 185 mm
Package Level 2 Depth / Length	36.22 in 920 mm

Additional Information

Application	For Temperatures up to 85 Degrees Celsius (185 F). The right cable tie for control panels and wiring harness applications.
Brand / Label	Spec-Kon
Bundle Diameter	0.275 to 8.98 in 7 to 228 mm
Color	Natural
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	OTHER PLASTIC ITEM
Product Type	General Purpose
Special Functions	Cost effective and easy to install
Standards	UL E49405
Tensile Strength	175 lb 780 N
Thickness	0.071 in 1.8 mm
UPC	753554016798

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SKT776-780-50
Declaration of Conformity - CE	9AKK107492A9842
Instructions and Manuals	SKT776-780-50

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

