

## PRODUCT-DETAILS

# SKT776-780X-50

# UV BLACK TIE 780N 776MM DISTRI PACK



## Ogólne informacje

|                       |                                                                                                                                                                                                                                                                                                                           |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | SKT776-780X-50                                                                                                                                                                                                                                                                                                            |
| ID Produktu           | 7TCA300360R0000                                                                                                                                                                                                                                                                                                           |
| Numer EAN             | 5415022210538                                                                                                                                                                                                                                                                                                             |
| Opis katalogowy       | UV BLACK TIE 780N 776MM DISTRI PACK                                                                                                                                                                                                                                                                                       |
| Opis                  | Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 778mm (30.63 Inches), Width of 9.0mm (0.35 Inch), Thickness of 1.8mm (0.07 Inch), Tensile Strength Rating of 780 Newtons (175 Pounds), 50 Pack |

## Charakterystyka zamówienia

|           |               |
|-----------|---------------|
| Numer EAN | 5415022210538 |
|-----------|---------------|

## Wymiary

|                     |                     |
|---------------------|---------------------|
| Waga produktu netto | .036 lb<br>16.327 g |
|---------------------|---------------------|

## Informacje o pakowaniu

|                                 |           |
|---------------------------------|-----------|
| Jednostka opakowania (poziom 1) | 50 sztuka |
| Szerokość opakowania            | 5.12 in   |

|                                    |                    |
|------------------------------------|--------------------|
| (poziom 1)                         | 130 mm             |
| Wysokość opakowania<br>(poziom 1)  | 2 in<br>51 mm      |
| Długość opakowania<br>(poziom 1)   | 37.4 in<br>950 mm  |
| Jednostka opakowania<br>(poziom 2) | 1500 sztuka        |
| Szerokość opakowania<br>(poziom 2) | 13.39 in<br>340 mm |
| Wysokość opakowania<br>(poziom 2)  | 7.28 in<br>185 mm  |
| Długość opakowania<br>(poziom 2)   | 36.22 in<br>920 mm |

## Dodatkowe informacje

|                     |                                                                                                                                                                                                   |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Zastosowanie        | For Temperatures up to 85 Degrees Celsius (185 F). Weather and Ultraviolet Resistant for Indoor and Outdoor Applications. The right cable tie for control panels and wiring harness applications. |
| Brand / Label       | Spec-Kon                                                                                                                                                                                          |
| Bundle Diameter     | 0.275 to 8.98 in<br>7 to 228 mm                                                                                                                                                                   |
| Kolor               | Black                                                                                                                                                                                             |
| Lock Type           | Plastic Pawl                                                                                                                                                                                      |
| Material            | Nylon/Polyamide 6.6                                                                                                                                                                               |
| Number of Batteries | 0                                                                                                                                                                                                 |
| Nazwa produktu      | OTHER PLASTIC ITEM                                                                                                                                                                                |
| Rodzaj produktu     | General Purpose                                                                                                                                                                                   |
| Funkcje specjalne   | Cost effective and easy to install                                                                                                                                                                |
| Standardy           | UL E49405                                                                                                                                                                                         |
| Tensile Strength    | 175 lb<br>780 N                                                                                                                                                                                   |
| Thickness           | 0.071 in<br>1.8 mm                                                                                                                                                                                |
| UPC                 | 753554016804                                                                                                                                                                                      |

## Certyfikaty i deklaracje (Numer dokumentu)

|                                       |                 |
|---------------------------------------|-----------------|
| Arkusze danych, informacja techniczna | SKT776-780X-50  |
| Deklaracja zgodności - CE             | 9AKK107492A9842 |
| Instrukcje i podręczniki              | SKT776-780X-50  |

## Klasyfikacje

|                                    |                           |
|------------------------------------|---------------------------|
| ETIM 6                             | EC000046 - Cable tie      |
| ETIM 7                             | EC000046 - Cable tie      |
| UNSPSC                             | 39121703                  |
| WEEE Category                      | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5034 >> Cable ties        |

---

## Kategorie

---

Produkty niskiego napięcia i systemy → Produkty instalacyjne → Wire Management and Connectivity → Cable Ties

