

PRODUCT-DETAILS

SKT912-780-50

NATURAL TIE 780N 912MM DISTRI PACK



General Information

Extended Product Type	SKT912-780-50
Product ID	7TCA300340R0001
EAN	5415022210545
Catalog Description	NATURAL TIE 780N 912MM DISTRI PACK
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Length of 916mm (36.063 Inches), Width of 9.0mm (0.354 Inch), Thickness of 1.8mm (0.071 Inch), Tensile Strength Rating of 780 Newtons (175 Pounds), 50 Pack

Ordering

EAN	5415022210545
-----	---------------

Dimensions

Product Net Weight	.04 lb 18.141 g
--------------------	--------------------

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	5.12 in 130 mm
Package Level 1 Height	2 in

	51 mm
Package Level 1 Depth / Length	41.34 in 1050 mm
Package Level 2 Units	500 piece
Package Level 2 Width	7.87 in 200 mm
Package Level 2 Height	4.72 in 120 mm
Package Level 2 Depth / Length	39.37 in 1000 mm

Additional Information

Application	For Temperatures up to 85 Degrees Celsius (185 F). The right cable tie for control panels and wiring harness applications.
Brand / Label	Spec-Kon
Bundle Diameter	0.275 to 10.35 in 7 to 263 mm
Color	Natural
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	OTHER PLASTIC ITEM
Product Type	General Purpose
Special Functions	Cost effective and easy to install
Standards	UL E49405
Tensile Strength	175 lb 780 N
Thickness	0.071 in 1.8 mm
UPC	753554016811

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SKT912-780-50
Declaration of Conformity - CE	9AKK107492A9842
Instructions and Manuals	SKT912-780-50

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

