

PRODUCT-DETAILS

SKT912-780X-50

UV BLACK TIE 780N 912MM DISTRI PACK



Ogólne informacje

Extended Product Type	SKT912-780X-50
ID Produktu	7TCA300360R0001
Numer EAN	5415022210552
Opis katalogowy	UV BLACK TIE 780N 912MM DISTRI PACK
Opis	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Length of 916mm (36.063 Inches), Width of 9.0mm (0.35 Inch), Thickness of 1.8mm (0.07 Inch), Tensile Strength Rating of 780 Newtons (175 Pounds), 50 Pack

Charakterystyka zamówienia

Numer EAN	5415022210552
-----------	---------------

Wymiary

Waga produktu netto	.04 lb
	18.141 g

Informacje o pakowaniu

Jednostka opakowania	50 sztuka
----------------------	-----------

(poziom 1)

Szerokość opakowania (poziom 1)	5.12 in 130 mm
------------------------------------	-------------------

Wysokość opakowania (poziom 1)	2 in 51 mm
-----------------------------------	---------------

Długość opakowania (poziom 1)	41.34 in 1050 mm
----------------------------------	---------------------

Jednostka opakowania (poziom 2)	500 sztuka
------------------------------------	------------

Szerokość opakowania (poziom 2)	7.87 in 200 mm
------------------------------------	-------------------

Wysokość opakowania (poziom 2)	4.72 in 120 mm
-----------------------------------	-------------------

Długość opakowania (poziom 2)	39.37 in 1000 mm
----------------------------------	---------------------

Dodatkowe informacje

Zastosowanie	For Temperatures up to 85 Degrees Celsius (185 F). Weather and Ultraviolet Resistant for Indoor and Outdoor Applications. The right cable tie for control panels and wiring harness applications.
--------------	---

Brand / Label	Spec-Kon
---------------	----------

Bundle Diameter	0.275 to 10.35 in 7 to 263 mm
-----------------	----------------------------------

Kolor	Black
-------	-------

Lock Type	Plastic Pawl
-----------	--------------

Materiał	Nylon/Polyamide 6.6
----------	---------------------

Number of Batteries	0
---------------------	---

Nazwa produktu	OTHER PLASTIC ITEM
----------------	--------------------

Rodzaj produktu	General Purpose
-----------------	-----------------

Funkcje specjalne	Cost effective and easy to install
-------------------	------------------------------------

Standardy	UL E49405
-----------	-----------

Tensile Strength	175 lb 780 N
------------------	-----------------

Thickness	0.071 in 1.8 mm
-----------	--------------------

UPC	753554016828
-----	--------------

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	SKT912-780X-50
---------------------------------------	----------------

Deklaracja zgodności - CE	9AKK107492A9842
---------------------------	-----------------

Instrukcje i podręczniki	SKT912-780X-50
--------------------------	----------------

Klasyfikacje

ETIM 6	EC000046 - Cable tie
--------	----------------------

ETIM 7	EC000046 - Cable tie
--------	----------------------

UNSPSC	39121703
--------	----------

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

IDEA Granular Category
Code (IGCC)

5034 >> Cable ties

Kategorie

Produkty niskiego napięcia i systemy → Produkty instalacyjne → Wire Management and Connectivity → Cable Ties

