



Main

Range of product	Modicon M171
Product or component type	Display module
Display colour	Monochrome
Supply	External source

Complementary

Display type	Matrix backlit LCD
Number of key	5
Display resolution	240 x 140 pixels
Colour	Grey
[Us] rated supply voltage	12 V AC 24 V AC 24 V DC
Power consumption in W	0 W 5 W
Marking	CE
Realtime clock	With clock
Local signalling	1 LED (green) 1 LED (yellow) 1 LED (red)
Product compatibility	Logic controller M171 performance
Height	160 mm
Width	90 mm
Depth	27 mm
Product weight	0.197 kg

Environment

Standards	RoHS compliant
Product certifications	REACH CURus
IP degree of protection	IP65 front face:

Offer Sustainability


EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Contractual warranty


Warranty	18 months
----------	-----------

Mounting


Panel Mounting




Wall Mounting



Power Supply



CAN Expansion Bus Port



- (1) CAN terminal resistance
- (2) CAN
- (3) Power In