



Main

Range of product	Modicon M171
Product or component type	Display module
Display colour	Monochrome
Supply	External source

Complementary

Display type	LCD screen
Number of key	8
Colour	Grey
[Us] rated supply voltage	12 V DC
Power consumption in W	5 W 0 W
Marking	CE
Realtime clock	With clock
Local signalling	LCD display
Product compatibility	Logic controller M171 optimized
Height	160 mm
Width	96 mm
Depth	10 mm
Product weight	0.017 kg

Environment

Standards	RoHS compliant
Product certifications	REACH CURus
IP degree of protection	IP40 front face:

Offer Sustainability

REACH free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration


Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Contractual warranty

Warranty	18 months
----------	-----------


Mounting and Clearance

Panel Mounting




(1) Panel cut out

Wall Mounting




Wiring Diagram




- (1) LAN Expansion bus
(2) Analogue Inputs
RD : Red
BU : Blue
BK : Black

Example NTC and Digital Input



Ex. Transducer



- (1) Power supply
(2) Example Transducer