

PRODUCT-DETAILS

TY100-18X

CBL TIE 18LB 4IN UV BLACK NYLON



General Information

Extended Product Type	TY100-18X
Product ID	7TCG054360R0096
EAN	5414363060352
Catalog Description	CBL TIE 18LB 4IN UV BLACK NYLON
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 111.76mm (4.4 Inches), Width of 2.413mm (0.095 Inches), Thickness of 1.12mm (0.044 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds), Bulk Pack

Ordering

E-Number (Finland)	1370025
EAN	5414363060352

Dimensions

Product Net Width	0.095 in 2.413 mm
Product Net Length	0, mm
Product Net Depth / Length	4.4 in 111.76 mm

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	2 in 51 mm
Package Level 1 Height	12 in 305 mm
Package Level 1 Depth / Length	14 in 356 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	10.2 in 259 mm
Package Level 2 Height	9.1 in 231 mm
Package Level 2 Depth / Length	10.2 in 259 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	1 in 25.4 mm
Color	Black
Effective Date	19961001
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	CATAMOUNT FASTENING PRODUCTS
Product Type	General Purpose
Standards	UL E49405
Tensile Strength	18 lb 80 N
Thickness	0.044 in 1.12 mm
UPC	786210596518

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY100-18X
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY100-18X

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

