

PRODUCT-DETAILS

TY125-30X

TY-FAST 143X3.3MM BLACK UV



General Information

Extended Product Type	TY125-30X
Product ID	7TAG054360R0121
EAN	5415022141030
Catalog Description	TY-FAST 143X3.3MM BLACK UV
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F), Weather and Ultraviolet Resistant for Indoor or Outdoor Applications, Length of 140mm (5.51 Inches), Width of 3.6mm (0.14 Inches), Thickness of 1.2mm (0.05 Inches), Tensile Strength Rating of 178 Newtons (40 Pounds)

Ordering

EAN	5415022141030
-----	---------------

Dimensions

Product Net Width	0.14 in 3.6 mm
Product Net Length	0, mm
Product Net Depth / Length	5.51 in 140 mm

Container Information

Package Level 1 Units	1000 piece
-----------------------	------------

Package Level 1 Width	7 in 178 mm
Package Level 1 Height	2 in 51 mm
Package Level 1 Depth / Length	13 in 330 mm
Package Level 2 Units	20000 piece
Package Level 2 Width	12.5 in 318 mm
Package Level 2 Height	12 in 305 mm
Package Level 2 Depth / Length	18 in 457 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	1.25 in 31.75 mm
Color	Black
Effective Date	20130116
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	General Purpose
Tensile Strength	40 lb 180 N
Thickness	0.05 in 1.2 mm
UPC	786209514721

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY125-30X
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY125-30X

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

