

PRODUCT-DETAILS

TY175-50X-39

TY-FAST 190X4.7MM HEAT STAB



General Information

Extended Product Type	TY175-50X-39
Product ID	7TAG054360R0181
EAN	5415022141283
Catalog Description	TY-FAST 190X4.7MM HEAT STAB
Long Description	Cable Tie, Heat Stabilized Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 186.43mm (7.34 Inches), Width of 4.674mm (0.184 Inches), Thickness of 1.24mm (0.049 Inches), Tensile Strength Rating of 220 Newtons (50 Pounds), Bulk Pack

Ordering

E-Number (Finland)	1381503
EAN	5415022141283

Dimensions

Product Net Width	0.184 in 4.674 mm
Product Net Depth / Length	7.34 in 186.43 mm
Product Net Weight	.003 lb 1.361 g

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	12 in 305 mm
Package Level 1 Height	3 in 76 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	12.5 in 318 mm
Package Level 2 Height	12 in 305 mm
Package Level 2 Depth / Length	18 in 457 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	1.75 in 44.45 mm
Color	Black
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	Heat Stabilized
Standards	UL E49405
Tensile Strength	50 lb 222 N
Thickness	0.049 in 1.24 mm
UPC	786209516251

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY175-50X-39
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY175-50X-39

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

