

PRODUCT-DETAILS

TY232M-0

CABLE TIE 18LB 8 BLK NYLON 2-PC BU



Общая информация

Тип расширенного изделия	TY232M-0
Идентификационный номер изделия	7TCG009060R0011
Европейский товарный код (EAN)	5414363061427
Описание в каталоге	CABLE TIE 18LB 8 BLK NYLON 2-PC BU
Длинное описание	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 203.2mm (8.0 Inches), Width of 2.54mm (0.10 Inches), Thickness of 1.10mm (0.05 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds), Bulk Pack

Ordering

Европейский товарный код (EAN)	5414363061427
--------------------------------	---------------

Dimensions

Чистая ширина изделия	0.1 in 2.54 mm
Чистая толщина изделия	8 in 203.2 mm
Чистый вес изделия	.012 lb 5.442 g

Container Information	
Package Level 1 Units	1000 штука
Package Level 2 Units	10000 штука
Package Level 2 Width	13 in 330 mm
Package Level 2 Height	8.5 in 216 mm
Package Level 2 Depth / Length	16.9 in 429 mm

Additional Information	
Торговая марка/ярлык	Ty-Rap
Bundle Diameter	2 in 50.8 mm
Цвет	Black
Материалы	Nylon/Polyamide 6.6
Number of Batteries	0
Название изделия	TY-RAP FASTENING
Тип изделия	High Performance
Специальные функции	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Стандарты	UL E49405
Tensile Strength	18 lb 80 N
Thickness	0.05 in 1.1 mm
Универсальный код товара (UPC)	786210597454

Certificates and Declarations (Document Number)	
Технические данные	TY232M-0
Инструкции и руководства	TY232M-0

Classifications	
ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
Универсальная стандартная классификация товаров и услуг (UNSPSC)	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Категории

Низковольтное оборудование → Системы прокладки и защиты кабелей → Wire Management and Connectivity → Cable Ties

