

PRODUCT-DETAILS

TY232M-2

CABLE TIE 18LB 8IN RED NYLON



General Information

Extended Product Type	TY232M-2
Product ID	7TAG009070R0084
EAN	5414363061441
Catalog Description	CABLE TIE 18LB 8IN RED NYLON
Long Description	Cable Tie, Red Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 203.2mm (8.0 Inches), Width of 2.54mm (0.10 Inches), Thickness of 1.10mm (0.05 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds), Bulk Pack

Ordering

EAN	5414363061441
-----	---------------

Dimensions

Product Net Width	0.1 in 2.54 mm
Product Net Length	0, mm
Product Net Depth / Length	8 in 203.2 mm

Container Information

Package Level 1 Units	1000 piece
-----------------------	------------

Package Level 1 Width	12 in 305 mm
Package Level 1 Height	2 in 51 mm
Package Level 1 Depth / Length	15 in 381 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	10.75 in 273 mm
Package Level 2 Height	10.75 in 273 mm
Package Level 2 Depth / Length	13 in 330 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 1.97 in 2 to 50 mm
Color	Red
Effective Date	19961107
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	TY-RAP FASTENING
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	18 lb 80 N
Thickness	0.047 in 1.1 mm
UPC	786210633619

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY232M-2
Instructions and Manuals	TY232M-2

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

