

PRODUCT-DETAILS

TY234MX-RW

TY234MX FOR RAILWAY



General Information

Extended Product Type	TY234MX-RW
Product ID	7TAG009050R0005
EAN	5415022260533
Catalog Description	TY234MX FOR RAILWAY
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F) for Railway, Weather and Ultraviolet Resistant, Length of 355.6mm (14.0 Inches), Width of 2.4mm (0.09 Inch), Thickness of 1.0mm (0.039 Inch), Minimum Bundle Diameter 1.5mm (0.06 Inch), Maximum Bundle Diameter 102mm (4 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds)

Ordering

EAN	5415022260533
-----	---------------

Dimensions

Product Net Width	0.09 in 2.4 mm
Product Net Length	0, mm
Product Net Depth / Length	14 in 356 mm

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	3 in 76 mm
Package Level 1 Height	19 in 483 mm
Package Level 1 Depth / Length	14 in 356 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	9.37 in 238 mm
Package Level 2 Height	19.75 in 502 mm
Package Level 2 Depth / Length	11.5 in 292 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.06 to 4.02 in 1.6 to 102 mm
Color	Black
Effective Date	20130927
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	Railway
Standards	UL E49405
Tensile Strength	18 lb 80 N
Thickness	0.039 in 1 mm
UPC	786209801470

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY234MX-RW
Declaration of Conformity - CE	9AKK107492A9841
Instructions and Manuals	TY234MX-RW

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

