



PRODUCT-DETAILS

TY23MX-RW

TY23MX FOR RAILWAY



General Information

Extended Product Type	TY23MX-RW
Product ID	7TCG009040R0015
EAN	5415022180060
Catalog Description	TY23MX FOR RAILWAY
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant for Exterior Applications, Length of 91.95mm (3.62 Inches), Width of 2.29mm (0.09 Inches), Thickness of 0.75mm (0.03 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds), Bulk Pack

Ordering

EAN	5415022180060
-----	---------------

Dimensions

Product Net Width	0.09 in 2.29 mm
Product Net Depth / Length	3.62 in 91.95 mm
Product Net Weight	.001 lb .454 g

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	9.43 in 240 mm
Package Level 1 Height	1.17 in 30 mm
Package Level 1 Depth / Length	9.82 in 249 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	9.82 in 249 mm
Package Level 2 Height	9.43 in 240 mm
Package Level 2 Depth / Length	10.21 in 259 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.63 in 16 mm
Color	Black
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	OTHER ARTICLES OF PLASTIC
Product Type	Railway
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	18 lb 80 N
UPC	786209699046

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY23MX-RW
Instructions and Manuals	TY23MX-RW

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

