



PRODUCT-DETAILS

TY242M-0

CABLE TIE 30LB 8 BLK NYLON 2-PC BU



General Information

Extended Product Type	TY242M-0
Product ID	7TCG009140R0016
EAN	5414363061878
Catalog Description	CABLE TIE 30LB 8 BLK NYLON 2-PC BU
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 208mm (8.19 Inches), Width of 3.6mm (0.142 Inches), Thickness of 1.04mm (0.041 Inches), Tensile Strength Rating of 180 Newtons (40 Pounds), Bulk Pack

Ordering

EAN	5414363061878
-----	---------------

Dimensions

Product Net Width	0.142 in 3.6 mm
Product Net Depth / Length	8.19 in 208 mm
Product Net Weight	.002 lb .907 g

Container Information

Package Level 1 Units	1000 piece
Package Level 2 Units	10000 piece
Package Level 2 Width	10.2 in 259 mm
Package Level 2 Height	9.1 in 231 mm
Package Level 2 Depth / Length	19.7 in 500 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	2 in 50.8 mm
Color	Black
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	TY-RAP FASTENING
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	40 lb 180 N
Thickness	0.041 in 1.04 mm
UPC	786210590899

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY242M-0
Declaration of Conformity - CE	9AKK107492A9841
Instructions and Manuals	TY242M-0

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

