

PRODUCT-DETAILS

TY244M-8

CABLE TIE 40LB 14.5IN GRAY NYLON



General Information

Extended Product Type	TY244M-8
Product ID	7TCG009160R0015
EAN	5414363454014
Catalog Description	CABLE TIE 40LB 14.5IN GRAY NYLON
Long Description	Cable Tie, Gray Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 368.3mm (14.5 Inches), Width of 3.51mm (0.138 Inch), Thickness of 0.75mm (0.03 Inch), Tensile Strength Rating of 134 Newtons (30 Pounds), Bulk Pack

Ordering

EAN	5414363454014
-----	---------------

Dimensions

Product Net Width	0.138 in 3.51 mm
Product Net Depth / Length	14.5 in 368.3 mm
Product Net Weight	.003 lb 1.361 g

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	13.77 in 350 mm
Package Level 1 Height	3.14 in 80 mm
Package Level 1 Depth / Length	21.8 in 554 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	15.4 in 391 mm
Package Level 2 Height	11 in 279 mm
Package Level 2 Depth / Length	23.6 in 599 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 4.05 in 2 to 102 mm
Color	Gray
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	30 lb 134 N
Thickness	0.041 in 1.04 mm
UPC	786209896872

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY244M-8
Declaration of Conformity - CE	9AKK107492A9841
Instructions and Manuals	TY244M-8

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

