

PRODUCT-DETAILS

TY244M

CABLE TIE 30LB 14.5IN NAT NYLON



Ogólne informacje

Extended Product Type	TY244M
ID Produktu	7TCG009130R0005
Numer EAN	5414363062004
Opis katalogowy	CABLE TIE 30LB 14.5IN NAT NYLON
Opis	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 366mm (14.4 Inches), Width of 3.6mm (0.14 Inch), Thickness of 1mm (0.04 Inch), Tensile Strength Rating of 134 Newtons (30 Pounds), Bulk Pack

Charakterystyka zamówienia

E-Number (Finland)	1381532
Numer EAN	5414363062004

Wymiary

Szerokość produktu netto	0.14 in 3.6 mm
Głębokość produktu netto	14.4 in 366 mm
Waga produktu netto	.004 lb 1.814 g

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1000 sztuka
Jednostka opakowania (poziom 2)	10000 sztuka
Szerokość opakowania (poziom 2)	15.9 in 404 mm
Wysokość opakowania (poziom 2)	10.9 in 277 mm
Długość opakowania (poziom 2)	23.1 in 587 mm

Dodatkowe informacje

Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 4.02 in 2 to 102 mm
Kolor	Natural
Lock Type	Stainless Steel Barb
Materiał	Nylon/Polyamide 6.6
Number of Batteries	0
Nazwa produktu	NYLON CABLE TIE
Rodzaj produktu	High Performance
Funkcje specjalne	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standardy	UL E49405
Tensile Strength	30 lb 134 N
Thickness	0.04 in 1.0 mm
UPC	786210830728

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	TY244M
Deklaracja zgodności - CE	9AKK107492A9841
Instrukcje i podręczniki	TY244M

Klasyfikacje

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Kategorie

Produkty niskiego napięcia i systemy → Produkty instalacyjne → Wire Management and Connectivity → Cable Ties

