



PRODUCT-DETAILS

TY253MX-RW

TY253MX FOR RAILWAY



General Information

Extended Product Type	TY253MX-RW
Product ID	7TCG009220R0011
EAN	5415022180183
Catalog Description	TY253MX FOR RAILWAY
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant for Exterior Applications, Length of 295mm (11.60 Inches), Width of 4.82mm (0.19 Inches), Thickness of 1.41mm (0.055 Inches), Tensile Strength Rating of 220 Newtons (50 Pounds), Bulk Pack

Ordering

EAN	5415022180183
-----	---------------

Dimensions

Product Net Width	0.19 in 4.82 mm
Product Net Depth / Length	11.6 in 294.64 mm
Product Net Weight	.004 lb 1.814 g

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	11 in 279 mm
Package Level 1 Height	3.14 in 80 mm
Package Level 1 Depth / Length	19.65 in 499 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	10.21 in 259 mm
Package Level 2 Height	14.14 in 359 mm
Package Level 2 Depth / Length	19.65 in 499 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	3 in 76.2 mm
Color	Black
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	OTHER ARTICLES OF PLASTIC
Product Type	Railway
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	50 lb 220 N
UPC	786209716729

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY253MX-RW
Instructions and Manuals	TY253MX-RW

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

