

7.31 in

185.67 mm

PRODUCT-DETAILS

TY25M-0

Product Net Depth /

Length

CABLE TIE 50LB 7 BLK NYLON 2-PC BU



General Information	
Extended Product Type	TY25M-0
Product ID	7TAG009240R0012
EAN	5414363075264
Catalog Description	CABLE TIE 50LB 7 BLK NYLON 2-PC BU
Long Description	High Performance Cable Tie for Indoor applications, Black Color Nylon 6.6, Length of 186mm (7.3 Inches) for Bundle Diameter up to 48mm (1.89 Inches), Width of 4.67mm (0.184 Inch), Tensile Strength Rating of 220 Newtons (50 Pounds), Operating Temperature of -60 Degrees Celsius (-76 F) to 85 Degrees Celsius (185 F), UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Bulk Pack

Ordering	
EAN	5414363075264
Replacement Product ID (NEW)	7TAG009210R0045
Dimensions	
Product Net Width	0.184 in
Product Net Width	0.184 ir 4.67 mm

Container Information	
Package Level 1 Units	1000 piece
Package Level 2 Units	10000 piece
Package Level 2 Width	13.5 in 343 mm
Package Level 2 Height	10 in 254 mm
Package Level 2 Depth / Length	21.25 in 540 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.138 to 1.77 in
	3.5 to 45 mm
Color	Black
Effective Date	19680313
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	50 lb 222 N
Thickness	0.043 in 1.09 mm
UPC	786210870939

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY25M-0
Declaration of Conformity - CE	9AKK107492A9841
Instructions and Manuals	TY25M-0

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

TY25M-0

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

