

PRODUCT-DETAILS

TY25M-7

CABLE TIE 50LB 7IN PURPLE NYLON



General Information	
Extended Product Type	TY25M-7
Product ID	7TAG009270R0017
EAN	5414363062608
Catalog Description	CABLE TIE 50LB 7IN PURPLE NYLON
Long Description	High Performance Cable Tie for Indoor applications, Purple Color Nylon 6.6, Length of 186mm (7.3 Inches) for Bundle Diameter up to 48mm (1.89 Inches), Width of 4.67mm (0.184 Inch), Tensile Strength Rating of 220 Newtons (50 Pounds), Operating Temperature of -60 Degrees Celsius (-76 F) to 85 Degrees Celsius (185 F), UL/EN/CSA62275 Type 2/215 Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support. Military Specified (MIL-SPEC MS3367-1-7). Bulk Pack

Ordering EAN 5414363062608

Dimensions		
Product Net Width	0.184 in	
	4.67 mm	
Product Net Length	0, mm	
Product Net Depth /	7.31 in	
Length	185.67 mm	

Container Information	
Package Level 1 Units	1000 piece
Package Level 2 Units	10000 piece
Package Level 2 Width	14.6 in 371 mm
Package Level 2 Height	13.8 in 351 mm
Package Level 2 Depth / Length	19.5 in 495 mm

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.138 to 1.77 in 3.5 to 45 mm
Color	Purple
Effective Date	19680313
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	50 lb 222 N
Thickness	0.043 in 1.09 mm
UPC	786210844909

Certificates and Declarations (Document Number)	
Data Sheet, Technical Information	TY25M-7
Declaration of Conformity - CE	9AKK107492A9841
Instructions and Manuals	TY25M-7

Classifications		
ETIM 6	EC000046 - Cable tie	
ETIM 7	EC000046 - Cable tie	
UNSPSC	39121703	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	5034 >> Cable ties	

Categories

TY25M-7 3

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

