

PRODUCT-DETAILS

TY25MX-RW

TY25MX FOR RAILWAY



Ogólne informacje

Extended Product Type	TY25MX-RW
ID Produktu	7TCG009210R0085
Numer EAN	5415022180176
Opis katalogowy	TY25MX FOR RAILWAY
Opis	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant for Exterior Applications, Length of 185.67mm (7.31 Inches), Width of 4.67mm (0.184 Inches), Thickness of 1.09mm (0.043 Inches), Tensile Strength Rating of 220 Newtons (50 Pounds), 500 Bulk Pack

Charakterystyka zamówienia

Numer EAN	5415022180176
-----------	---------------

Wymiary

Szerokość produktu netto	0.184 in 4.67 mm
Głębokość produktu netto	7.3 in 185.67 mm
Waga produktu netto	.003 lb 1.361 g

Informacje o pakowaniu

Jednostka opakowania (poziom 1)	1000 sztuka
Szerokość opakowania (poziom 1)	10.21 in 259 mm
Wysokość opakowania (poziom 1)	1.96 in 50 mm
Długość opakowania (poziom 1)	14.14 in 359 mm
Jednostka opakowania (poziom 2)	10000 sztuka
Szerokość opakowania (poziom 2)	14.7 in 373 mm
Wysokość opakowania (poziom 2)	9.5 in 241 mm
Długość opakowania (poziom 2)	21.2 in 538 mm

Dodatkowe informacje

Brand / Label	Ty-Rap
Bundle Diameter	0.12 to 1.89 in 3 to 48 mm
Kolor	Black
Materiał	Nylon/Polyamide 6.6
Number of Batteries	0
Nazwa produktu	OTHER ARTICLES OF PLASTIC
Rodzaj produktu	Railway
Funkcje specjalne	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standardy	UL E49405
Tensile Strength	50 lb 220 N
Thickness	0.043 in 1.09 mm
UPC	786209716705

Certyfikaty i deklaracje (Numer dokumentu)

Arkusze danych, informacja techniczna	TY25MX-RW
Instrukcje i podręczniki	TY25MX-RW

Klasyfikacje

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope

IDEA Granular Category
Code (IGCC)

5034 >> Cable ties

Kategorie

Produkty niskiego napięcia i systemy → Produkty instalacyjne → Wire Management and Connectivity → Cable Ties

