

PRODUCT-DETAILS

TY28MX

CABLE TIE 50LB 14IN UV BLACK NYLON

General Information	
Extended Product Type	TY28MX
Product ID	7TAG009210R0050
EAN	5414363063650
Catalog Description	CABLE TIE 50LB 14IN UV BLACK NYLON
Long Description	High Performance Cable Tie, Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, Black Color Nylon 6.6, Length of 361mm (14.2 Inches) for Bundle Diameter up to 102mm (4 Inches), Width of 4.67mm (0.184 Inch), Tensile Strength Rating of 220 Newtons (50 Pounds), Operating Temperature of -60 Degrees Celsius (-76 F) to 105 Degrees Celsius (221 F), Bulk Pack
Ordering	
E-Number (Finland)	1381504
EAN	5414363063650
Dimensions	
Product Net Width	0.19 in 4.82 mm
Product Net Length	0, mm
Product Net Depth / Length	14.2 in 360.5 mm

Container Information		
Package Level 1 Units	1000 piece	
Package Level 2 Units	5000 piece	
Package Level 2 Width	11.8 in 300 mm	
Package Level 2 Height	10.1 in 257 mm	
Package Level 2 Depth / Length	20.1 in 511 mm	

Additional Information	
Brand / Label	Ty-Rap
Bundle Diameter	0.138 to 4.01 in 3.5 to 102 mm
Color	Black
Effective Date	19680313
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	50 lb 222 N
Thickness	0.055 in 1.4 mm
UPC	786210824840

Certificates and Declarations (Document Number) Data Sheet, Technical TY28MX Information Declaration of 9AKK107492A9841 Conformity - CE Instructions and TY28MX Manuals

Classifications		
ETIM 6	EC000046 - Cable tie	
ETIM 7	EC000046 - Cable tie	
UNSPSC	39121703	
WEEE Category	Product Not in WEEE Scope	
IDEA Granular Category Code (IGCC)	5034 >> Cable ties	

Categories

TY28MX 3

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Installation\ Products \rightarrow Wire\ Management\ and\ Connectivity \rightarrow Cable\ Ties$

