



PRODUCT-DETAILS

TY28MX-RW

TY28MX FOR RAILWAY



General Information

Extended Product Type	TY28MX-RW
Product ID	7TCG009210R0086
EAN	5415022180206
Catalog Description	TY28MX FOR RAILWAY
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant for Exterior Applications, Length of 361mm (14.2 Inches), Width of 4.8mm (0.19 Inches), Tensile Strength Rating of 50 Newtons (222 Pounds), 1000 Bulk Pack

Ordering

EAN	5415022180206
-----	---------------

Dimensions

Product Net Width	0.19 in 4.82 mm
Product Net Depth / Length	14.2 in 360.68 mm
Product Net Weight	.006 lb 2.721 g

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	13.75 in 349 mm
Package Level 1 Height	1.96 in 50 mm
Package Level 1 Depth / Length	19.65 in 499 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	10.21 in 259 mm
Package Level 2 Height	14.14 in 359 mm
Package Level 2 Depth / Length	19.65 in 499 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	4 in 101.6 mm
Color	Black
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	OTHER ARTICLES OF PLASTIC
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	50 lb 222 N
UPC	786209717054

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY28MX-RW
Instructions and Manuals	TY28MX-RW

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

