

PRODUCT-DETAILS

TY300-40X-100

CABLE TIE 40LB 11IN UV BLACK NYL



General Information

Extended Product Type	TY300-40X-100
Product ID	7TCG054360R0257
EAN	5414363063995
Catalog Description	CABLE TIE 40LB 11IN UV BLACK NYL
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 289.56mm (11.4 Inches), Width of 3.556mm (0.140 Inches), Thickness of 1.17mm (0.046 Inches), Tensile Strength Rating of 180 Newtons (40 Pounds), 100 Pack

Ordering

EAN	5414363063995
-----	---------------

Dimensions

Product Net Width	0.14 in 3.556 mm
Product Net Length	0, mm
Product Net Depth / Length	11.4 in 289.56 mm

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	1.7 in 43 mm
Package Level 1 Depth / Length	15 in 381 mm
Package Level 2 Units	1000 piece
Package Level 2 Width	7.1 in 180 mm
Package Level 2 Height	5.1 in 130 mm
Package Level 2 Depth / Length	16.4 in 417 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	3 in 76.2 mm
Color	Black
Effective Date	19930820
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	CATAMOUNT FASTENING PRODUCTS
Product Type	General Purpose
Standards	UL E49405
Tensile Strength	40 lb 180 N
Thickness	0.046 in 1.17 mm
UPC	075114952378

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY300-40X-100
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY300-40X-100

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

