

PRODUCT-DETAILS

TY400-120X-100

CBL TIE 120LB 15IN UV BLACK NYLON



General Information

Extended Product Type	TY400-120X-100
Product ID	7TCG054360R0308
EAN	5414363075349
Catalog Description	CBL TIE 120LB 15IN UV BLACK NYLON
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 374.65mm (14.75 Inches), Width of 7.595mm (0.299 Inches), Thickness of 1.90mm (0.075 Inches), Tensile Strength Rating of 540 Newtons (120 Pounds), 100 Pack

Ordering

EAN	5414363075349
-----	---------------

Dimensions

Product Net Width	0,299 in 7.595 mm
Product Net Length	0, mm
Product Net Depth / Length	14.75 in 374.65 mm

Container Information

Package Level 1 Units	100 piece
Package Level 2 Units	2500 piece
Package Level 2 Width	8 in 203 mm
Package Level 2 Height	10 in 254 mm
Package Level 2 Depth / Length	24 in 610 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	4 in 101.6 mm
Color	Black
Effective Date	19980621
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	General Purpose
Tensile Strength	120 lb 540 N
Thickness	0.075 in 1.9 mm
UPC	786210627830

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY400-120X-100
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY400-120X-100

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

