



PRODUCT-DETAILS

TY400-40X-100

CBL TIE 40LB 15IN UV BLACK NYLON



General Information

Extended Product Type	TY400-40X-100
Product ID	7TAG054360R0314
EAN	5414363064596
Catalog Description	CBL TIE 40LB 15IN UV BLACK NYLON
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 370mm (14.57 Inches), Width of 3.6mm (0.14 Inches), Thickness of 1.3mm (0.05 Inches), Tensile Strength Rating of 178 Newtons (40 Pounds), 100 Pack

Ordering

EAN	5414363064596
-----	---------------

Dimensions

Product Net Width	0.14 in 3.6 mm
Product Net Length	0, mm
Product Net Depth / Length	14.57 in 370 mm

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	1 in 25 mm
Package Level 1 Height	6 in 152 mm
Package Level 1 Depth / Length	18 in 457 mm
Package Level 2 Units	500 piece
Package Level 2 Width	5 in 127 mm
Package Level 2 Height	15 in 381 mm
Package Level 2 Depth / Length	5 in 127 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	4 in 101.6 mm
Color	Black
Effective Date	19970602
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	General Purpose
Standards	UL E49405
Tensile Strength	40 lb 180 N
Thickness	0.05 in 1.3 mm
UPC	786210713212

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY400-40X-100
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY400-40X-100

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

