

PRODUCT-DETAILS

TY400-50X-100

CBL TIE 14IN UV BLACK NYL 50LB



General Information

Extended Product Type	TY400-50X-100
Product ID	7TAG054360R0337
EAN	5414363075363
Catalog Description	CBL TIE 14IN UV BLACK NYL 50LB
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 365.76mm (14.4 Inches), Width of 4.673mm (0.184 Inches), Thickness of 1.24mm (0.049 Inches), Tensile Strength Rating of 220 Newtons (50 Pounds), 100 Pack

Ordering

EAN	5414363075363
-----	---------------

Dimensions

Product Net Width	0.184 in 4.674 mm
Product Net Length	0, mm
Product Net Depth / Length	14.4 in 365.76 mm

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	6 in 152 mm
Package Level 1 Height	1.7 in 43 mm
Package Level 1 Depth / Length	18 in 457 mm
Package Level 2 Units	500 piece
Package Level 2 Width	5.8 in 147 mm
Package Level 2 Height	5.6 in 142 mm
Package Level 2 Depth / Length	15.4 in 391 mm

Additional Information

Brand / Label	Catamount
Bundle Diameter	4 in 101.6 mm
Color	Black
Effective Date	19930820
Lock Type	Plastic Pawl
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	General Purpose
Standards	UL E49405
Tensile Strength	50 lb 222 N
Thickness	0.049 in 1.24 mm
UPC	075114952392

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY400-50X-100
Declaration of Conformity - CE	9AKK107492A9843
Instructions and Manuals	TY400-50X-100

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

