



PRODUCT-DETAILS

TY48MX

CABLE TIE 50LB 14 UV BLK ID 5X2.13



General Information

Extended Product Type	TY48MX
Product ID	7TAG009510R0043
EAN	5414363065142
Catalog Description	CABLE TIE 50LB 14 UV BLK ID 5X2.13
Long Description	Identification Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 361mm (14.2 Inches), Width of 4.8mm (0.19 Inches), Thickness of 1.3mm (0.05 Inches), Tensile Strength Rating of 220 Newtons (49 Pounds), Marking Pad Size of 58.4mm (2.3 Inches) x 12.7mm (0.5 Inches), Bulk Pack

Ordering

EAN	5414363065142
-----	---------------

Dimensions

Product Net Width	0.19 in 4.81 mm
Product Net Length	0, mm
Product Net Depth / Length	14.187 in 360.36 mm

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	1.5 in 38 mm
Package Level 1 Height	14 in 356 mm
Package Level 1 Depth / Length	24 in 610 mm
Package Level 2 Units	5000 piece
Package Level 2 Width	9.12 in 232 mm
Package Level 2 Height	20.75 in 527 mm
Package Level 2 Depth / Length	13.12 in 333 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	1 to 4 in 25.4 to 102 mm
Color	Black
Effective Date	19950921
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	NYLON CABLE TIES AND ACCESSORIES
Product Type	Identification
Tensile Strength	49 lb 220 N
Thickness	0.05 in 1.3 mm
UPC	786210317724

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000576
Instructions and Manuals	TY48MX

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5040 >> I.D. Ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

