



PRODUCT-DETAILS

TY523MXR-RW

TY23MX FOR RAILWAY SP



General Information

Extended Product Type	TY523MXR-RW
Product ID	7TCG009040R0017
EAN	5415022243512
Catalog Description	TY23MX FOR RAILWAY SP
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant for Exterior Applications, Length of 91.95mm (3.62 Inches), Width of 2.29mm (0.09 Inch), Thickness of 0.75mm (0.03 Inch), Tensile Strength Rating of 80 Newtons (18 Pounds)

Ordering

EAN	5415022243512
-----	---------------

Dimensions

Product Net Width	0.09 in 2.29 mm
Product Net Depth / Length	3.62 in 91.95 mm
Product Net Weight	.001 lb .454 g

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	3.53 in 90 mm
Package Level 1 Height	0.78 in 20 mm
Package Level 1 Depth / Length	9.43 in 240 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	11 in 279 mm
Package Level 2 Height	9.03 in 229 mm
Package Level 2 Depth / Length	14.14 in 359 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.625 in 15.88 mm
Color	Black
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	OTHER ARTICLES OF PLASTIC
Product Type	Railway
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	18 lb 80 N
Thickness	0.03 in 0.75 mm
UPC	786209884084

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY523MXR-RW
Instructions and Manuals	TY523MXR-RW

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

