



PRODUCT-DETAILS

TY528MXR-RW TY28MX FOR RAILWAY SP



Общая информация

Тип расширенного изделия	TY528MXR-RW
Идентификационный номер изделия	7TCG009210R0089
Европейский товарный код (EAN)	5415022243604
Описание в каталоге	TY28MX FOR RAILWAY SP
Длинное описание	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (221 F), Weather and Ultraviolet Resistant for Exterior Applications, Length of 361mm (14.2 Inches), Width of 4.8mm (0.19 Inches), Tensile Strength Rating of 220 Newtons (50 pounds)

Ordering

Европейский товарный код (EAN)	5415022243604
--------------------------------	---------------

Dimensions

Чистая ширина изделия	0.19 in 4.8 mm
Чистая толщина изделия	14.21 in 361 mm
Чистый вес изделия	.006 lb 2.721 g

Container Information

Package Level 1 Units	100 штука
Package Level 1 Width	4.32 in 110 mm
Package Level 1 Height	0.78 in 20 mm
Package Level 1 Depth / Length	18.86 in 479 mm
Package Level 2 Units	5000 штука
Package Level 2 Width	13.6 in 345 mm
Package Level 2 Height	9.75 in 248 mm
Package Level 2 Depth / Length	21.1 in 536 mm

Additional Information

Торговая марка/ярлык	Ty-Rap
Цвет	Black
Lock Type	Stainless Steel Barb
Материалы	Nylon/Polyamide 6.6
Number of Batteries	0
Название изделия	OTHER ARTICLES OF PLASTIC
Тип изделия	Railway
Специальные функции	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	50 lb 220 N
Универсальный код товара (UPC)	786209884244

Certificates and Declarations (Document Number)

Технические данные	TY528MXR-RW
Инструкции и руководства	TY528MXR-RW

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
Универсальная стандартная классификация товаров и услуг (UNSPSC)	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Категории

Низковольтное оборудование → Системы прокладки и защиты кабелей → Wire Management and Connectivity → Cable Ties

